

PARKER PAINT -- 1900, OVERALL MEDIUM BASE -- 8010-00N031117

=====
Product Identification
=====

Product ID:1900, OVERALL MEDIUM BASE

MSDS Date:06/01/1987

FSC:8010

NIIN:00N031117

MSDS Number: BNVKP

=== Responsible Party ===

Company Name:PARKER PAINT

Address:3326 SOUTH JUNETT

Box:11047

City:TACOMA

State:WA

ZIP:98411-0047

Country:US

Info Phone Num:206-473-1122

Emergency Phone Num:206-473-1122

Preparer's Name:B. WEAR

CAGE:9H480

=== Contractor Identification ===

Company Name:PARKER PAINT

Address:3003 SOUTH TACOMA WAY

Box:11047

City:TACOMA

State:WA

ZIP:98409

Country:US

Phone:253-473-1122

CAGE:9H480

=====
Composition/Information on Ingredients
=====

Ingred Name:SILICON DIOXIDE

Fraction by Wt: 15%

Ingred Name:SILICONE DIOXIDE;(DIATOMACEOUS SILICA)

CAS:68855-54-9

Fraction by Wt: <5%

OSHA PEL:6 MG/M3

ACGIH TLV:10 MG/M3 TDUST

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:OVEREXPOSURE MAY CAUSE HEADACHE,
NAUSEA, SKIN AND EYE IRRITAITON. CHRONIC:UNPROTECTED OVER EXPOSURE
TO MISTS FROM SPRAY APPLICATION MAY CAUSE LUNG DISEASE (SILICOSIS).

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:INHAL:INHAL OF HIGH CONC OF VAPS MAY CAUSE
HDCH, NAUS, & IRRIT OF THE NOSE, THROAT & LUNGS. SKIN:REPEATED LIQ
CONTACT MAY CAUSE IRRIT & DERM. EYE:MAY CAUSE IRRITATION & BURNING
OF EYES. INGEST: CAN CA USE GI IRRITAITON, NAUSEA, VOMIT & DIARR.

VOMIT CAN RSLT IN ASPIR OF MATL INTO LUNGS WHICH CAN CAUSE CHEM PNEUMONITIS.

Medical Cond Aggravated by Exposure:NONE KNOWN AT THIS TIME.

=====
===== First Aid Measures =====

First Aid:INHAL:MOVE TO FRESH AIR. IF BREATHING STOPPED, APPLY ARTIFICIAL RESPIRATION. CALL MD. EYE:WASH WITH CLEAN WATER FOR AT LEAST 15 MINUTES. CALL MD. SKIN:WASH AFFECTED AREAS WITH SOAP & WATER. REMOVE CON TAMINATED CLOTHING. CALL MD. INGEST:DRINK 1 OR 2 GLASSES OF WATER TO DILUTE. CALL MD OR POISON CONTROL CENTER IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Extinguishing Media:FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILDUP AND EXPLOSION WHEN EXPOSED TO EXTREME HEAT.

=====
===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. PREVENT SKIN AND EYE CONTACT AND BREATHNG OF VAPOR. CONTAIN AND REMOVE WITH INERT ABSORBENT.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 200F.
Other Precautions:DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED FOR BRUSH AND ROLL APPLICATION. FOR SPRAY APPLICATION, WEAR A PROPERLY FITTED NIOSH/MSHA APPROVED (TC-23C) APPROVED VAPOR/PARTICULATE RESIPRATOR UNTIL ALL VAPORS AND SPRAY MIST ARE EXHAUS TED.
Ventilation:PROVIDE SUFFICIENT VENT IN VOLUME & PATTERN TO KEEP AIR CONTAM CONC BELOW APPLIC OSHA PEL/ACGIH TLV OCCUP EXPOS LIMITS.
Protective Gloves:IMPERVIOUS GLOVES.
Eye Protection:CHEM WORK GOGG/FULL LENGTH FSHLD .
Other Protective Equipment:COVERALLS, GLOVES & HOOD ARE RECOMMENDED DURING SPRAY APPLICATION. PROTECTIVE CREAMS MAY BE USED FOR CLEANUP, NOT PROT.
Work Hygienic Practices:WASH HANDS BEFORE EATING OR USING RESTROOM.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

=====
===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:212F,100C
Vapor Density:LTR/AIR
Spec Gravity:1.3 (H2O=1)

Evaporation Rate & Reference:SLOWER THAN ETHER
Solubility in Water:DILUTABLE
Appearance and Odor:WHITE COLORED LIQUID WITH AMMONIACAL ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE KNOWN AT THIS TIME.
Stability Condition to Avoid:DO NOT HEAT ABOVE 200F.
Hazardous Decomposition Products:NONE KNOWN AT THIS TIME.

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT ALLOW MATERIAL TO CONTAMINATE GROUND
WATER SYSTEMS. ABSORB LARGE SPILLS WITH SAND, CLAY OR DIATOMACEOUS
EARTH. DISPOSE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL
DISPOSAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.