HMIC®

HIL01062

HEALTH FLAMMABILITY 2 PERSONAL PROTECTION No Identity: HAND SANITIZER Formula: 1909 Fart numbers: 99001, 90910, 90956, 90985, 90991 SECTION 1: Company Identification DISTRIBUTED BY: BILLYARD INDUSTRIES, INC. Address (Number, Street, City, State, and ZIP Code) Signature of Preparer (Optional) Regulatory Dept. St. Joseph, MO 64502 Signature of Preparer (Optional) Regulatory Dept. SECTION 2: Ingredients/Identity Information Components (Chemical Identity, Common Name) September 6, 2006 Signature of Preparer (Optional) Regulatory Dept. SECTION 2: Ingredients/Identity Information Components (Chemical Identity, Common Name) SECTION 3: Hazards Identity Information Components (Chemical Identity) September 7752-18-5 None None None None None One Option Identity Information Septial Se	Material Safety Data Sheet		HMIS	,			
Identity: HAND SANTITZER Formula: 1909 Formula: 1909 Formula: 1909 Formula: 1909 SECTION 1: Company Identification DATE: September 6, 2006 HILLYARD INDUSTRIES, INC. Address (Number, Street, City, State, and ZIP Code) 302 North Fourth Street (P.O. BOX 909) St. Joseph, MO 64502 St. Joseph, MO 64502 St. Joseph, MO 64502 SECTION 2: Ingredients/Identity Information Components (Chemical Identity, Common Name(s)) Components (Chemical Identity, Common Name(s)) Components (Steed as hazardous by the States of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations. SECTION 3: Hazards Identification Route(s) of Entry Eyes? Yes Inhalation? Yes Acute Health Hazards - Ivolonged skie exposure may lead to dermatitis. Carrioogenicity: Chemical: Osha PER No Ingestion? Yes Acute Health Hazards - Ivolonged skie exposure may lead to dermatitis. Chronic Health Hazards - Prolonged skie exposure may lead to dermatitis. Chronic Health Hazards - Prolonged skie exposure may lead to dermatitis. Chronic Health Hazards - Prolonged skie exposure may lead to dermatitis. Chronic Health Hazards - Prolonged skie exposure may lead to dermatitis. Chronic Health Hazards - Prolonged skie exposure may lead to dermatitis. Chronic Health Hazards - Prolonged skie exposure may lead to dermatitis. Chronic Health Hazards - Prolonged skie exposure may lead to dermatitis. Chronic Health Hazards - Prolonged skie exposure may lead to dermatitis. Chronic Health Hazards - Prolonged skie exposure may lead to dermatitis. Chronic Health Hazards - Prolonged skie exposure may lead to dermatitis. Chronic Health Hazards - Prolonged skie exposure may lead to dermatitis. Chronic Health Hazards - Prolonged skie exposure may lead to dermatitis. Chronic Health Hazards - Prolonged skie exposure may lead to dermatitis. Chronic Health Hazards - Prolonged skie exposure on the proceeding of the procedure of the procedure of the procedure of the procedure o		HEALTH			REACT	IVITY	0
Formula 18909 Part numbers: 99010, 90910, 90956, 90985, 90991 SECTION 1: Company Identification DISTRIBS, INC. Address (Number, Street, City, State, and ZIP Code) St. Joseph, MO 64502 St. Joseph, MO 64502 SECTION 2: Ingredients/Identity Information Components (Chemical Identity, Common Name(s)) Common Name(s) CAS No. OSHA PEL ACGIH-TLV Recommended % (Opt.) Any substance listed as bazardous by the States of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations. SECTION 3: Hazards Identification Route(s) of Entry Fyes? Yes Inhalation? Yes Skin? No Ingestion? Yes Acute Health Hazards - Prolonged skin exposure may lead to dermalitis. Carlinogenicity: Chemical East, Schie exposure any lead to dermalitis. SECTION 3: Hazards Identification Route(s) of Entry Fyes? Yes Inhalation? Yes Skin? No Ingestion? Yes Acute Health Hazards - Prolonged skin exposure may lead to dermalitis. Chronic Health Hazards - Prolonged skin exposure may lead to dermalitis. Chronic Health Hazards - Prolonged skin exposure may lead to dermalitis. Chronic Health Hazards - Prolonged skin exposure may lead to dermalitis. Chronic Health Hazards - Prolonged skin exposure may lead to dermalitis. Chronic Health Hazards - Prolonged skin exposure may lead to dermalitis. Chronic Health Hazards - Prolonged skin exposure may lead to dermalitis. Chronic Health Hazards - Prolonged skin exposure may lead to dermalitis. Chronic Health Hazards - Prolonged skin exposure may lead to dermalitis. Signs and Symptoms of Exposure - Rechess, tearing or burning in eyes. Rechess, burning, drying or cracking of skin, Swallowing may cause massed, durrhea, durrines, durrings, futigue, or loss of coordination. Medical Conditions Generally Aggravated by Exposure - Pre-existing skin or gastrointestinal disorders may be adversely affected. Follow gethemical hygiene practices to avoid these hazards. SECTION 4: Emergency and First Aid Procedures: Eyes - Flush with pl		FLAMMABILITY	Y	2	PERSON	AL PROTECTION	N Noi
SECTION 1: Company Identification DISTRIBUTED BY: HILLYARD INDUSTRIES, INC. Address (Number, Street, City, State, and ZIP Code) 302 North Fourth Street (P.O. BOX 909) St. Joseph, MO 64502 St. Joseph, MO 64502 St. Joseph, MO 64502 SECTION 2: Ingredients/Identity Information Components (Chemical Identity, Common Name(s)) CAS No. OSHA PEL ACGIH-TLV Recommended % (Opt.) Water 7732-18-5 None None None 60 - 1009 Edyl Alcohol 64-17-5 1000 ppm 1000 ppm 3300 ppm (IDLH) 10 - 30% Any substance listed as hazardous by the States of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations. SECTION 3: Hazards Identification Route(s) of Entry Eyes? Yes Inhalation? Yes Skin? No Ingestion? Yes Acute Health Hazards - Warning. Causes Eye Irritation. May be harmful if swallowed. Deliberate concentration and inhalation of vapors may cause central nervous system effects. Follow good chemical hygiene practices to avoid these hazards. Chronic Health Hazards - Prolonged skin exposure may lead to dermatitis. Carcinogenicity: Chemical: OSHA PEL ACGIH-TLV Recommended % (Opt.) Yes Acute Health Hazards - Warning. Causes Eye Irritation. May be harmful if swallowed. Deliberate concentration and inhalation of vapors may cause central nervous system effects. Follow good chemical hygiene practices to avoid these hazards. Chronic Health Hazards - Prolonged skin exposure may lead to dermatitis. Carcinogenicity: Chemical: None No No No Signs and Symptoms of Exposure - Red.ness, tearing or burning in eyes. Redness, burning, drying or cracking of skin. Swallowing may cause nausea, diarrhea, doziness, dzizniess, fatigue, or loss of coordination. Medical Conditions Generally Aggravated by Exposure - Pre-existing skin or gastrointestinal disorders may be adversely affected. Follow geternical hygiene practices to avoid these hazards. SECTION 4: Emergency and First Aid Procedures: Eyes - Flush with plenty of water for at least 15 minutes liftin	Identity: HAND SANITIZER Formula: B909 Part numbers: 90901, 90910, 90956, 90985	5. 90991					
DATE: HILL YARD INDUSTRIES, INC. Address (Number, Street, City, State, and ZIP Code) 102 North Fourth Street (P.O. BOX 909) Telephone Number for Information 1-8(0)-424-4300 Regulatory Dept. SECTION 2: Ingredients/Identity Information Components (Chemical Identity, Components (Chemical Identification Route(s) of Entry Eyes? Yes Inhalation? Yes Skin? No Ingestion? Yes Acute Health Hazards - Warning, Causes Eye Irritation. May be harmful if swallowed, Deliberate concentration and inhalation of vapors may cause cause central nervous system effects. Follow good chemical hygiene practices to avoid these hazards. Chemical: OSHA: No No No Ingestion? Yes None None Symptoms of Exposure - Redness, tearing or burning in eye Redness, burning, drying or cracking of skin. Swallowing may cause mause, diarbeth Bazards - Prolonged skin exposure may lead to dermatitis. Carcinogenicity: Chemical: OSHA: No No No No No Signs and Symptomosines*, district exposure on the properties of the properties							
Address (Number, Street, City, State, and ZIP Code) 302 North Fourth Street (P.O. BOX 909) Telephone Number for Information 1-800-242-9300 Signature of Preparer (Optional) Regulatory Dept. SECTION 2: Ingredients/Identity Information Components (Chemical Identity, Common Name(s)) CAS No. OSHA PEL ACGIH-TLV Recommended % (Opt.) Water 7732-18-5 None None None 60 - 100 Ethyl Alcohol 64-17-5 1000 ppm 1000 ppm 3300 ppm (IDLH) 10 - 30% Any substance listed as hazardous by the States of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations. SECTION 3: Hazards Identification Route(s) of Entry Eyes? Yes Inhalation? Yes Skin? No Ingestion? Yes Acute Health Hazards - Prolonged skin exposure may lead to dermatitis. Carcinogenicity: Chemical OSHA: No Signs and Symptoms of Exposure - Redness, tearing or burning in eyes. Redness, burning, drying or cracking of skin. Swallowing may cause massed, aid ronding discinces or avoid these hazards. SECTION 4: Emergency and First Aid Procedures: Eyes - Flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. See a physician immediately. Inhalation - Vota likely exposure route. If a large quantity of liquid is swallowed call a physician or poison control center immediately. Inhalation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualification - Vota likely exposure route. If a large quantity of liquid is swallowed call a physician or poison control center immediately. Inhalation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualification - Vota likely exposure route. If a large quantity of liquid is swallowed call a physician or poison control center immediately. Inhalation - Unlikely route of exposure as liquid in impregnated on a towel. If overexposed mov	DISTRIBUTED BY:		-	6, 2006	<u> </u>		
St. Joseph, MO 64502 I-800-233-1321 ext. 8285	,	ZIP Code)	Emergenc	y Telep		r	
Regulatory Dept.	St. Joseph, MO 64502		1-800-233-	1321 e	xt. 8285		
Components (Chemical Identity, Cas No. OSHA PEL ACGIH-TLV Recommended % (Opt.) Water 7732-18-5 None None None None 60 – 100° Ethyl Alcohol 64-17-5 1000 ppm 1000 ppm 3300 ppm (IDLH) 10 – 30% Any substance listed as hazardous by the States of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations. SECTION 3: Hazards Identification Route(s) of Entry Eyes? Yes Inhalation? Yes Skin? No Ingestion? Yes Acute Health Hazards - Warning, Causes Eye Irritation. May be harmful if swallowed. Deliberate concentration and inhalation of vapors may cause central nervous system effects. Follow good chemical hygiene practices to avoid these hazards. Chronic Health Hazards - Prolonged skin exposure may lead to dermatitis. Carcinogenicity: Chemical OSHA: No NTP: IARC: None No No No Signs and Symptoms of Exposure - Redness, tearing or burning in eyes. Redness, burning, drying or cracking of skin. Swallowing may cause nausea, diarrhea, doziness', dizziness, fatigue, or loss of coordination. Medical Conditions Generally Aggravated by Exposure - Pre-existing skin or gastrointestinal disorders may be adversely affected. Follow generally hygine practices to avoid these hazards. SECTION 4: Emergency and First Aid Procedures: Eyes - Flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. See a physician immediately. Inflation - Not a likely exposure route. If a large quantity of liquid is swallowed call a physician or poison control center immediately. Inflation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualif personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. Flash Point, Concentrate (Method Used) Flammable Limits No Data No Data	www.hillyard.com			_	parer (Option	al)	
CAS No. OSHA PEL ACGIH-TLV Recommended % (Opt.)		nation					
Etyl Alcohol 64-17-5 1000 ppm 1000 ppm 3300 ppm (IDLH) 10 – 30% Any substance listed as hazardous by the States of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations. SECTION 3: Hazards Identification Route(s) of Entry Eyes? Yes Inhalation? Yes Skin? No Ingestion? Yes Acute Health Hazards - Warning, Causes Eye Irritation. May be harmful if swallowed. Deliberate concentration and inhalation of vapors may cause central nervous system effects. Follow good chemical hygiene practices to avoid these hazards. Chronic Health Hazards - Prolonged skin exposure may lead to dermatitis. Carcinogenicity: Chemical: OSHA: No No No No No No Signs and Symptoms of Exposure - Redness, tearing or burning in eyes. Redness, burning, drying or cracking of skin. Swallowing may cause nausea, diarrhea, doziness', dizaziness, fatigue, or loss of coordination. Medical Conditions Generally Aggravated by Exposure - Pre-existing skin or gastrointestinal disorders may be adversely affected. Follow ge chemical hygiene practices to avoid these hazards. SECTION 4: Emergency and First Aid Procedures: Eyes - Flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. See a physician immediately. Ingestion - Not a likely exposure route. If a large quantity of liquid is swallowed call a physician or poison control center immediately. Inhalation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualif personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. Flash Point, Concentrate (Method Used) Flammable Limits No Data No Data No Data	Components (Chemical Identity,	2127	OGET A TOTAL	. ~-			0
Ethyl Alcohol 64-17-5 1000 ppm 1000 ppm 3300 ppm (IDLH) 10 – 30% Any substance listed as hazardous by the States of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations. SECTION 3: Hazards Identification Route(s) of Entry Eyes? Yes Inhalation? Yes Skin? No Ingestion? Yes Acute Health Hazards - Warning. Causes Eye Irritation. May be harmful if swallowed. Deliberate concentration and inhalation of vapors may cause central nervous system effects. Follow good chemical hygiene practices to avoid these hazards. Chronic Health Hazards - Prolonged skin exposure may lead to dermatitis. Carcinogenicity: Chemical: OSHA: No NTP: No IARC: No No Signs and Symptoms of Exposure - Redness, tearing or burning in eyes. Redness, burning, drying or cracking of skin. Swallowing may cause nausea, diarrhea, doziness', dizziness, fatigue, or loss of coordination. Medical Conditions Generally Aggravated by Exposure - Pre-existing skin or gastrointestinal disorders may be adversely affected. Follow ge chemical hygiene practices to avoid these hazards. SECTION 4: Emergency and First Aid Procedures: Eyes - Flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. See a physician immediately. Inhalation - Unlikely route of exposure a liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualif personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. Skin - None usually required. If irritation persists seek medical attention. Flampable Limits No Data No Data No Data							
Any substance listed as hazardous by the States of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations. SECTION 3: Hazards Identification Route(s) of Entry Eyes? Inhalation? Yes Skin? No Ingestion? Yes Acute Health Hazards - Warning. Causes Eye Irritation. May be harmful if swallowed. Deliberate concentration and inhalation of vapors may cause central nervous system effects. Follow good chemical hygiene practices to avoid these hazards. Chronic Health Hazards - Prolonged skin exposure may lead to dermatitis. Carcinogenicity: Chemical: OSHA: No NTP: No IARC: None No No Signs and Symptoms of Exposure - Redness, tearing or burning in eyes. Redness, burning, drying or cracking of skin. Swallowing may cause nausea, diarrhea, doziness', dizziness, fatigue, or loss of coordination. Medical Conditions Generally Aggravated by Exposure - Pre-existing skin or gastrointestinal disorders may be adversely affected. Follow go chemical hygiene practices to avoid these hazards. SECTION 4: Emergency and First Aid Procedures: Eyes - Flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. See a physician immediately. Inhalation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualif personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. SECTION 5: Fire Fighting Measures Flash Point, Concentrate (Method Used) Flammable Limits No Data No Data							
Texas is described above if known present in regulated concentrations. SECTION 3: Hazards Identification Route(s) of Entry Eyes? Yes Inhalation? Yes Skin? No Ingestion? Yes Acute Health Hazards - Warning. Causes Eye Irritation. May be harmful if swallowed. Deliberate concentration and inhalation of vapors may cause central nervous system effects. Follow good chemical hygiene practices to avoid these hazards. Chronic Health Hazards - Prolonged skin exposure may lead to dermatitis. Carcinogenicity: Chemical: OSHA: No NTP: IARC: None No No No No Signs and Symptoms of Exposure - Redness, tearing or burning in eyes. Redness, burning, drying or cracking of skin. Swallowing may cause nausea, diarrhea, doziness', dizziness, fatigue, or loss of coordination. Medical Conditions Generally Aggravated by Exposure - Pre-existing skin or gastrointestinal disorders may be adversely affected. Follow go chemical hygiene practices to avoid these hazards. SECTION 4: Emergency and First Aid Procedures: Eyes - Flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. See a physician immediately. Ingestion - Not a likely exposure route. If a large quantity of liquid is swallowed call a physician or poison control center immediately. Inhalation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualif personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. SECTION 5: Fire Fighting Measures Flash Point, Concentrate (Method Used) Flammable Limits No Data No Data	Ethyl Alcohol	04-17-3	тооо ррш	1000	ррш	5500 ppiii (IDLII)	10 – 30 /0
Route(s) of Entry	•	n regulated concentrations.					
Acute Health Hazards - Warning. Causes Eye Irritation. May be harmful if swallowed. Deliberate concentration and inhalation of vapors may cause central nervous system effects. Follow good chemical hygiene practices to avoid these hazards. Chronic Health Hazards - Prolonged skin exposure may lead to dermatitis. Carcinogenicity: Chemical: None No No Signs and Symptoms of Exposure - Redness, tearing or burning in eyes. Redness, burning, drying or cracking of skin. Swallowing may cause nausea, diarrhea, doziness', dizziness, fatigue, or loss of coordination. Medical Conditions Generally Aggravated by Exposure - Pre-existing skin or gastrointestinal disorders may be adversely affected. Follow ge chemical hygiene practices to avoid these hazards. SECTION 4: Emergency and First Aid Procedures: Eyes - Flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. See a physician immediately. Inhalation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualif personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. SECTION 5: Fire Fighting Measures Flash Point, Concentrate (Method Used) Flammable Limits No Data No Data No Data		1	l av i			- · · ·	
Acute Health Hazards - Warning. Causes Eye Irritation. May be harmful if swallowed. Deliberate concentration and inhalation of vapors may cause central nervous system effects. Follow good chemical hygiene practices to avoid these hazards. Chronic Health Hazards - Prolonged skin exposure may lead to dermatitis. Carcinogenicity: Chemical: None No No No No Signs and Symptoms of Exposure - Redness, tearing or burning in eyes. Redness, burning, drying or cracking of skin. Swallowing may cause nausea, diarrhea, doziness', dizziness, fatigue, or loss of coordination. Medical Conditions Generally Aggravated by Exposure - Pre-existing skin or gastrointestinal disorders may be adversely affected. Follow go chemical hygiene practices to avoid these hazards. SECTION 4: Emergency and First Aid Procedures: Eyes - Flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. See a physician immediately. Ingestion - Not a likely exposure route. If a large quantity of liquid is swallowed call a physician or poison control center immediately. Inhalation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualif personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. SECTION 5: Fire Fighting Measures Flash Point, Concentrate (Method Used) Flammable Limits No Data No Data No Data				?	No	Ingestion?	Vac
Chronic Health Hazards - Prolonged skin exposure may lead to dermatitis. Carcinogenicity: Chemical: None No No No Signs and Symptoms of Exposure - Redness, tearing or burning in eyes. Redness, burning, drying or cracking of skin. Swallowing may cause nausea, diarrhea, doziness', dizziness, fatigue, or loss of coordination. Medical Conditions Generally Aggravated by Exposure - Pre-existing skin or gastrointestinal disorders may be adversely affected. Follow go chemical hygiene practices to avoid these hazards. SECTION 4: Emergency and First Aid Procedures: Eyes - Flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. See a physician immediately. Ingestion - Not a likely exposure route. If a large quantity of liquid is swallowed call a physician or poison control center immediately. Inhalation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualif personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. SECTION 5: Fire Fighting Measures Flash Point, Concentrate (Method Used) Flammable Limits No Data No Data No Data	Acute Health Hazards - Warning. Causes l	Eye Irritation. May be harn	nful if swallowed		erate concentra	ation and inhalation	
Carcinogenicity: Chemical: None No				1000 110			
None No No No No No No No No Signs and Symptoms of Exposure - Redness, tearing or burning in eyes. Redness, burning, drying or cracking of skin. Swallowing may cause nausea, diarrhea, doziness', dizziness, fatigue, or loss of coordination. Medical Conditions Generally Aggravated by Exposure - Pre-existing skin or gastrointestinal disorders may be adversely affected. Follow go chemical hygiene practices to avoid these hazards. SECTION 4: Emergency and First Aid Procedures: Eyes - Flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. See a physician immediately. Ingestion - Not a likely exposure route. If a large quantity of liquid is swallowed call a physician or poison control center immediately. Inhalation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualif personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. SECTION 5: Fire Fighting Measures Flash Point, Concentrate (Method Used) Flammable Limits LEL UEL No Data No Data	Carcinogenicity:	· · · · · · · · · · · · · · · · · · ·					
Signs and Symptoms of Exposure - Redness, tearing or burning in eyes. Redness, burning, drying or cracking of skin. Swallowing may cause nausea, diarrhea, doziness', dizziness, fatigue, or loss of coordination. Medical Conditions Generally Aggravated by Exposure - Pre-existing skin or gastrointestinal disorders may be adversely affected. Follow go chemical hygiene practices to avoid these hazards. SECTION 4: Emergency and First Aid Procedures: Eyes - Flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. See a physician immediately. Ingestion - Not a likely exposure route. If a large quantity of liquid is swallowed call a physician or poison control center immediately. Inhalation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualif personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. Section 5: Fire Fighting Measures Flash Point, Concentrate (Method Used) Flammable Limits No Data No Data							
nausea, diarrhea, doziness', dizziness, fatigue, or loss of coordination. Medical Conditions Generally Aggravated by Exposure - Pre-existing skin or gastrointestinal disorders may be adversely affected. Follow go chemical hygiene practices to avoid these hazards. SECTION 4: Emergency and First Aid Procedures: Eyes - Flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. See a physician immediately. Ingestion - Not a likely exposure route. If a large quantity of liquid is swallowed call a physician or poison control center immediately. Inhalation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualif personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. SECTION 5: Fire Fighting Measures Flash Point, Concentrate (Method Used) Flammable Limits No Data No Data No Data						IARC:	
SECTION 4: Emergency and First Aid Procedures: Eyes - Flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. See a physician immediately. Ingestion - Not a likely exposure route. If a large quantity of liquid is swallowed call a physician or poison control center immediately. Inhalation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualif personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. SECTION 5: Fire Fighting Measures Flash Point, Concentrate (Method Used) Flammable Limits LEL UEL No Data No Data	None	No	N			No	
Eyes - Flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. See a physician immediately. Ingestion - Not a likely exposure route. If a large quantity of liquid is swallowed call a physician or poison control center immediately. Inhalation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualif personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. SECTION 5: Fire Fighting Measures Flash Point, Concentrate (Method Used) Flammable Limits No Data No Data No Data	None Signs and Symptoms of Exposure - Rednes nausea, diarrhea, doziness', dizziness, fatigue	No ss, tearing or burning in eye e, or loss of coordination.	es. Redness, burn	ing, dry		g of skin. Swallowi	ng may cause
Ingestion - Not a likely exposure route. If a large quantity of liquid is swallowed call a physician or poison control center immediately. Inhalation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualif personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. SECTION 5: Fire Fighting Measures Flash Point, Concentrate (Method Used) Flammable Limits No Data No Data No Data	None Signs and Symptoms of Exposure - Rednes nausea, diarrhea, doziness', dizziness, fatigue Medical Conditions Generally Aggravated	No ss, tearing or burning in eye e, or loss of coordination. l by Exposure - Pre-existing	es. Redness, burn	ing, dry		g of skin. Swallowi	ng may cause
Ingestion - Not a likely exposure route. If a large quantity of liquid is swallowed call a physician or poison control center immediately. Inhalation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualif personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. SECTION 5: Fire Fighting Measures Flash Point, Concentrate (Method Used) Flammable Limits No Data No Data No Data	None Signs and Symptoms of Exposure - Rednes nausea, diarrhea, doziness', dizziness, fatigue Medical Conditions Generally Aggravated chemical hygiene practices to avoid these ha	No ss, tearing or burning in eye e, or loss of coordination. l by Exposure - Pre-existing zards.	es. Redness, burn	ing, dry		g of skin. Swallowi	ng may cause
Inhalation - Unlikely route of exposure as liquid is impregnated on a towel. If overexposed move into fresh air. If breathing has stopped, qualif personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. SECTION 5: Fire Fighting Measures Flash Point, Concentrate (Method Used) The personnel should administer artificial respiration and seek medical attention. SECTION 5: Fire Fighting Measures Flash Point, Concentrate (Method Used) No Data No Data No Data	None Signs and Symptoms of Exposure - Rednes nausea, diarrhea, doziness', dizziness, fatigue Medical Conditions Generally Aggravated chemical hygiene practices to avoid these ha SECTION 4: Emergency and First Aid Pr	No ss, tearing or burning in eye e, or loss of coordination. l by Exposure - Pre-existing zards. cocedures:	Nes. Redness, burn	ing, dry	l disorders ma	g of skin. Swallowi	ng may cause
personnel should administer artificial respiration and seek medical attention. Skin - None usually required. If irritation persists seek medical attention. SECTION 5: Fire Fighting Measures Flash Point, Concentrate (Method Used) 107° F (PMCC) Flammable Limits No Data No Data Flam No Data	None Signs and Symptoms of Exposure - Redness nausea, diarrhea, doziness', dizziness, fatigue Medical Conditions Generally Aggravated chemical hygiene practices to avoid these hat SECTION 4: Emergency and First Aid Preserves - Flush with plenty of water for at least	No ss, tearing or burning in eye e, or loss of coordination. l by Exposure - Pre-existing zards. cocedures:	Nes. Redness, burn ng skin or gastroi to insure complet	ing, dry	l disorders ma	g of skin. Swallowi y be adversely affect vsician immediately	ng may cause cted. Follow go
SECTION 5: Fire Fighting Measures Flash Point, Concentrate (Method Used) Flammable Limits No Data No Data No Data	None Signs and Symptoms of Exposure - Redness nausea, diarrhea, doziness', dizziness, fatigue Medical Conditions Generally Aggravated chemical hygiene practices to avoid these has SECTION 4: Emergency and First Aid Processes - Flush with plenty of water for at least Ingestion - Not a likely exposure route. If a	No ss, tearing or burning in eye, or loss of coordination. I by Exposure - Pre-existing zards. cocedures: 15 minutes lifting eyelids large quantity of liquid is	ng skin or gastroi to insure completswallowed call a	ntestina te remo	l disorders ma	g of skin. Swallowi y be adversely affect sician immediately ontrol center immed	ng may cause cted. Follow go . liately.
Flash Point, Concentrate (Method Used) 107° F (PMCC) Flammable Limits No Data VEL No Data No Data	None Signs and Symptoms of Exposure - Redness nausea, diarrhea, doziness', dizziness, fatigue Medical Conditions Generally Aggravated chemical hygiene practices to avoid these has SECTION 4: Emergency and First Aid Property - Flush with plenty of water for at least Ingestion - Not a likely exposure route. If a Inhalation - Unlikely route of exposure as li	No ss, tearing or burning in eye, or loss of coordination. I by Exposure - Pre-existing zards. cocedures: 15 minutes lifting eyelids large quantity of liquid is induced in the second control of the	ng skin or gastroi to insure complets swallowed call a owel. If overexpo	ntestina te remo	l disorders ma	g of skin. Swallowi y be adversely affect sician immediately ontrol center immed	ng may cause cted. Follow go . liately.
Flash Point, Concentrate (Method Used) 107° F (PMCC) Flammable Limits No Data VEL No Data No Data	None Signs and Symptoms of Exposure - Redness nausea, diarrhea, doziness', dizziness, fatigue Medical Conditions Generally Aggravated chemical hygiene practices to avoid these has SECTION 4: Emergency and First Aid Preserved - Flush with plenty of water for at least Ingestion - Not a likely exposure route. If a Inhalation - Unlikely route of exposure as lipersonnel should administer artificial respira	No ss, tearing or burning in eye e, or loss of coordination. l by Exposure - Pre-existing zards. cocedures: 15 minutes lifting eyelids large quantity of liquid is iquid is impregnated on a totion and seek medical atter	ng skin or gastroi to insure complets swallowed call a owel. If overexpontion.	ntestina te remo	l disorders ma	g of skin. Swallowi y be adversely affect sician immediately ontrol center immed	ng may cause cted. Follow go . liately.
107° F (PMCC) No Data No Data No Data	None Signs and Symptoms of Exposure - Redness nausea, diarrhea, doziness', dizziness, fatigut Medical Conditions Generally Aggravated chemical hygiene practices to avoid these has SECTION 4: Emergency and First Aid Preserved - Flush with plenty of water for at least Ingestion - Not a likely exposure route. If a Inhalation - Unlikely route of exposure as lipersonnel should administer artificial respira	No ss, tearing or burning in eye e, or loss of coordination. l by Exposure - Pre-existing zards. cocedures: 15 minutes lifting eyelids large quantity of liquid is iquid is impregnated on a totion and seek medical atter	ng skin or gastroi to insure complets swallowed call a owel. If overexpontion.	ntestina te remo	l disorders ma	g of skin. Swallowi y be adversely affect sician immediately ontrol center immediately	ng may cause cted. Follow go . liately.
	None Signs and Symptoms of Exposure - Redness nausea, diarrhea, doziness', dizziness, fatigut Medical Conditions Generally Aggravated chemical hygiene practices to avoid these hat SECTION 4: Emergency and First Aid Preserves - Flush with plenty of water for at least Ingestion - Not a likely exposure route. If a Inhalation - Unlikely route of exposure as lipersonnel should administer artificial respiration - None usually required. If irritation personnel should should required in the respiration of the second should required. If irritation personnel should should required in the respiration of the second should required in the respiration of the second should required in the respiration of the second should require in the second sh	No ss, tearing or burning in eye, or loss of coordination. I by Exposure - Pre-existing ards. rocedures: 15 minutes lifting eyelids large quantity of liquid is inpregnated on a total tion and seek medical attentions are seek medical attentions.	to insure complets wallowed call a owel. If overexpontion.	ntestina te remo	l disorders ma	g of skin. Swallowi y be adversely affect rsician immediately ontrol center immediately ir. If breathing has s	ng may cause cted. Follow go . liately. stopped, qualifi
EXTENSION (VIETEX - LICE CATOON CHOY DE DEV CHERDICAL TOATH OF TOO THO BOTHER WATER OF IT MOVETAIN OBLIGATION TO CAPAGA	None Signs and Symptoms of Exposure - Redness nausea, diarrhea, doziness', dizziness, fatigue Medical Conditions Generally Aggravated chemical hygiene practices to avoid these has SECTION 4: Emergency and First Aid Presultation - Not a likely exposure route. If a Inhalation - Unlikely route of exposure as lipersonnel should administer artificial respiration - None usually required. If irritation personnel should administer artificial respiration - None usually required. If irritation personnel should administer artificial respiration - None usually required. If irritation personnel should should should should be should should be should be should should be s	No ss, tearing or burning in eye, or loss of coordination. I by Exposure - Pre-existing ards. rocedures: 15 minutes lifting eyelids large quantity of liquid is inpregnated on a total tion and seek medical attentions are seek medical attentions.	ng skin or gastroi to insure complets wallowed call a owel. If overexpontion.	ntestina te remo physici sed mo	l disorders ma	g of skin. Swallowi y be adversely affect visician immediately control center immediately ir. If breathing has s	ng may cause cted. Follow go liately. stopped, qualifi

1

Special Fire Fighting Procedures - Keep containers cool and vapors down with water spray. Prevent runoff from entering sewers and public waterways. Wear SCBA in chemical fires.

Hazardous Products of Combustion-Carbon dioxide, carbon monoxide, formaldehyde, nitrous oxide, ammoniacal vapors, smoke, soot and various organic oxidation by-products.

Unusual Fire and Explosion Hazards - Combustible liquid on a polypropylene towel.

SECTION 6: Accidental Release Measures

Small Spill – Caution, slip hazard. Wipe up small releases with a dry absorbent cloth or other absorbent material.

Large Spill – Not likely due to type of product.

SECTION 7: Handling and Storage

Handling - Do not get into eyes. Do not swallow. Avoid prolonged skin contact. For external use only. Not for use around the mouth or eyes for an extended period of time. Use from original container only. Do not smoke while using. Do not contaminate water, food or feed by use or storage. Follow label directions carefully.

Storage – Store in a cool well ventilated area. Keep away from heat sources. Keep out of reach of children. Keep from freezing. Keep container tightly sealed when not in use.

SECTION 8: Exposure Controls / Personal Protection

Eye Protection – None necessary. Do not allow towel to directly contact eyes.

Skin Protection – None necessary. Product is designed for direct skin use.

Respiratory Protections – Not usually necessary. Use with adequate ventilation. Use NIOSH/MSHA approved respirator if PELs or TLVs are exceeded.

Engineering Controls – Ventilation not usually necessary but should be provided in the event of overexposure.

SECTION 9: Physical and Chemical Properties

Appearance and Odor:	Colorless liquid with an alcohol – floral scent saturated on a towel
PH	6.0 ± 0.5
Specific Gravity (70°F)	0.970
Boiling Point:	212° F
Melting Point:	N/A
Evaporation Rate (Butyl Acetate = 1)	N/A
Vapor Pressure (mm-Hg @ 70°F)	N/A
Vapor Density (AIR = 1)	Greater than 1
Solubility in Water	Complete
Volatile Organic Compounds (VOCs)	179 grams per liter or 18.5% by weight VOCs.

SECTION 10: Stability and Reactivity

Hazardous Polymerization - This product will not undergo hazardous polymerization.

Hazardous Decomposition or Byproducts – Carbon dioxide, carbon monoxide, formaldehyde, nitrous oxide, ammoniacal vapors, smoke, soot and various organic oxidation by-products.

Chemical Stability - Stable

Incompatibility (Materials to Avoid) - Strong oxidizing agents such as acetyl chloride, nitric acid, and hydrogen peroxide.

SECTION 11: Toxicological Information

Ethyl Alcohol:	Inhalation LC50: 20,000 ppm/10H, rat
	Oral LD50: 7060 mg/kg, rat
	Eye Irritation: 50 mg/24 H Severe, rabbit

SECTION 12: Ecological Information

Ethyl Alcohol: Soil: readily biodegrades, quickly evaporates, leaches into groundwater

Formula: B909

Water: readily biodegrades, evaporates to moderate extent, Does not bioaccumulate

Air: readily degrades by reaction with photochemically produced hydroxyl radicals, readily removed by dry and wet deposition, has a half-life between 1 and 10 days.

SECTION 13: Disposal Consideration

Disposal Method - Dispose of in accordance with all applicable local, state, and federal regulations.

RCRA Waste Information – If this product becomes a waste, the liquid would be considered a flammable liquid (D001) as defined by RCRA (40 CFR 261). However the waste should be properly characterized to evaluate whether its composition has been modified prior to disposal.

SECTION 14: Transport Information

DOT Information - 49 CFR 172.101

Proper Shipping Description: Not Regulated

Hazard Class: None

Identification Number: None

Packing Group: None

Water Transportation:

Proper Shipping Description: Flammable liquid, N.O.S., (Ethanol)

Hazard Class: 3

Identification Number: UN 1993

Packing Group: III

Air Transportation:

Proper Shipping Description: Flammable liquid, N.O.S., (Ethanol)

Hazard Class: 3

Identification Number: UN 1993

Packing Group: III

Marine Pollutants: None

SECTION 15: Regulatory Information

US Federal Regulations:

TSCA (Toxic Substances Control Act) Status

All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

CERCLA RQ – 40 CFR 302.4 (a)

None Listed

SARA 313 Components – 40 CFR 372.65

tert-Butyl alcohol – 0.02% (CAS # 75-65-0)

State and Local Regulations:

California Proposition 65

None

Section 16: Additional Information

Formula: B909

WARNING! The use of this product is beyond the control of the manufacturer; therefore, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The user must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials. The manufacturer warrants only that this product meets the manufacturer's specifications for such product. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AS TO DESCRIPTION, QUALITY, MERCHANTABILITY. FITNESS FOR ANY PARTICULAR PURPOSE, PRODUCTIVENESS, OR ANY OTHER MATTER, OF THIS PRODUCT. THE MANUFACTURER SHALL BE IN NO WAY RESPONSIBLE FOR THE IMPROPER USE OF THIS PRODUCT. The sole and exclusive remedy against the manufacturer for breach of warranty shall be reimbursement of the purchase price of the product in the event that a defective condition of the product shall be found to exist. NO OTHER REMEDY (INCLUDING BUT NOT LIMITED TO INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR INJURY TO PERSON OR PROPERTY OR ANY OTHER INCIDENTAL OR CONSEQUENTIAL LOSS) SHALL BE AVAILABLE.

4 Formula: B909